ASUS Vivobook S200E-CT236H جهاز حاسوب محمول Intel® Core™ i3 i3-2365M 29,5 4 سم (11.6) الشاشات الحساسة التي تعمل باللمس DDR3-SDRAM 500 جيغابايت سواقة قرص صلب Windows 8 زهري, فولاذ مقاوم للصدأ

S200E-CT236H : العلامة التجارية S200E-CT236H : العلامة التجارية

S200E-CT236H : اسم المنتج

ASUS Vivobook S200E-CT236H. ينوع المنتج: حاسوب محمول, شكل الجهاز: صدفي. فئة المعالج. Intel® Core™ i3, نوع المنتج: حاسوب محمول, شكل الجهاز: صدفي. فئة المعالج. 1364, i3-2365M, 1366: نطراز المعالج x 768 نطراز المعالج x 768 نطراز المعالج تولي المعالج: 1,4 جيغابايت, نوع الذاكرة الداخلية bDR3-SDRAM. يبكسل, الشاشات الحساسة التي تعمل باللمس. الذاكرة الداخلية: 4 جيغابايت, نوع الذاكرة الداخلية لون المنتج: زهري, Windows 8. التخزين الاجمالية: 500 جيغابايت, وسائط التخزين: سواقة قرص صلب. نظام التشغيل المثبت فولاذ مقاوم للصدأ. الوزن: 1,4 كيلو غرام



Design		Ports & interfaces	
Product type *	Laptop	CardBus PCMCIA slot type	x
Product colour *	Pink, Stainless steel	SmartCard slot	×
Form factor *	Clamshell	Keyboard	
Display		Pointing device	Touchpad
Touchscreen type	Capacitive	Numeric keypad *	×
Display diagonal *	29.5 cm (11.6")	Windows keys	✓
Display resolution *	1366 x 768 pixels	·	
Touchscreen *	✓	Software	
HD type	Not supported	Operating system installed *	Windows 8
Touch technology	Multi-touch	Processor special features	
LED backlight	✓	Intel® Wireless Display (Intel®	/
Native aspect ratio	16:9	WiDi)	•
Processor		Intel® My WiFi Technology (Intel® MWT)	✓
Processor manufacturer * Processor family *	Intel Intel® Core™ i3	Intel® Anti-Theft Technology (Intel® AT)	✓
Processor generation	2nd gen Intel® Core™ i3	Intel® Identity Protection Technology (Intel® IPT)	✓
Processor model *	i3-2365M	Intel® Hyper Threading Technology	
Processor cores Processor threads	2	(Intel® HT Technology)	/
Processor frequency *	4 1.4 GHz	Intel® Turbo Boost Technology	×
System bus rate	5 GT/s	Enhanced Intel SpeedStep	/
Processor cache	3 MB	Technology	•
Processor cache type	Smart Cache	Intel® Clear Video HD Technology (Intel® CVT HD)	✓
Processor socket	BGA 1023	Intel Clear Video Technology	×
Processor lithography	32 nm	Intel® InTru™ 3D Technology	✓
Processor operating modes	64-bit	Intel® Insider™	✓
Processor series	Intel Core i3-2300 Mobile Series	Intel® Quick Sync Video Technology	
Processor codename	Sandy Bridge		
Bus type	DMI	Intel Flex Memory Access	✓
FSB Parity	×	Intel® Smart Cache	•
Stepping	J1	Intel® AES New Instructions (Intel® AES-NI)	×
Thermal Design Power (TDP)	17 W	Intel Trusted Execution Technology	X
Tjunction Maximum number of PCI Express	100 °C	Intel Enhanced Halt State	^ ✓
lanes	16	Intel VT-x with Extended Page	
PCI Express slots version	2.0	Tables (EPT)	✓
PCI Express configurations	1x16, 2x8, 1x8+2x4	Intel Demand Based Switching	×
CPU multiplier (bus/core ratio)	14		

Processor		Processor special features	
ECC supported by processor	X	Intel® Clear Video Technology for Mobile Internet Devices (Intel CVT	×
Memory		for MID)	
Internal memory *	4 GB	Intel 64	✓
Internal memory type	DDR3-SDRAM	Execute Disable Bit	✓
Memory clock speed	1333 MHz	Idle States	✓
Memory form factor	On-board	Thermal Monitoring Technologies	✓
Maximum internal memory *	4 GB	Processor package size	31.0 x 24.0 (BGA1023)
Storage		Supported instruction sets	AVX
Total storage capacity *	500 GB	Processor code	SR0U3
Storage media *	HDD	CPU configuration (max)	1
Number of HDDs installed	1	Embedded options available	×
HDD capacity	500 GB	Graphics & IMC lithography	32 nm
HDD interface HDD speed	SATA 5400 RPM	Intel Virtualization Technology for Directed I/O (VT-d)	×
HDD size	2.5"	Intel Identity Protection Technology	1.00
Optical drive type *	×	version	1.00
Card reader integrated	✓	Intel Virtualization Technology (VT-x)	✓
Compatible memory cards	MMC, SD, SDHC, SDXC	Intel Dual Display Capable	✓
Graphics		Technology	
Discrete graphics card model *	Not available	Intel FDI Technology	✓ ✓
Discrete graphics card *	×	Intel Rapid Storage Technology	X
On-board graphics card base	350 MHz	Intel Fast Memory Access	70272
frequency	350 1.11.2	Processor ARK ID	70272
On-board graphics card dynamic frequency (max)	1000 MHz	Conflict-Free processor Integrated 4G WiMAX	×
Audio		-	•
		Battery	
Built-in microphone	J	•	
Built-in microphone	/	Battery technology	Lithium Polymer (LiPo)
Camera		Battery technology Number of battery cells	2
	✓ ✓	Battery technology Number of battery cells Battery capacity	2 5136 mAh
Camera		Battery technology Number of battery cells Battery capacity Battery capacity *	2
Camera Front camera		Battery technology Number of battery cells Battery capacity Battery capacity * Power	2 5136 mAh 38 Wh
Camera Front camera Network	✓	Battery technology Number of battery cells Battery capacity Battery capacity * Power AC adapter power	2 5136 mAh 38 Wh
Camera Front camera Network Wi-Fi	✓	Battery technology Number of battery cells Battery capacity Battery capacity * Power AC adapter power AC adapter frequency	2 5136 mAh 38 Wh 33 W 50 - 60 Hz
Camera Front camera Network Wi-Fi Wi-Fi standards	✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Battery technology Number of battery cells Battery capacity Battery capacity * Power AC adapter power	2 5136 mAh 38 Wh
Camera Front camera Network Wi-Fi Wi-Fi standards Ethernet LAN	✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n) ✓	Battery technology Number of battery cells Battery capacity Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage	2 5136 mAh 38 Wh 33 W 50 - 60 Hz 100 - 240 V
Camera Front camera Network Wi-Fi Wi-Fi standards Ethernet LAN Ethernet LAN data rates	✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n) ✓ 10,100 Mbit/s ✓ 4.0	Battery technology Number of battery cells Battery capacity Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current	2 5136 mAh 38 Wh 33 W 50 - 60 Hz 100 - 240 V 1.75 A
Camera Front camera Network Wi-Fi Wi-Fi standards Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Data network	✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n) ✓ 10,100 Mbit/s ✓ 4.0 Not supported	Battery technology Number of battery cells Battery capacity Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage DC-in jack	2 5136 mAh 38 Wh 33 W 50 - 60 Hz 100 - 240 V 1.75 A 19 V
Camera Front camera Network Wi-Fi Wi-Fi standards Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version	✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n) ✓ 10,100 Mbit/s ✓ 4.0	Battery technology Number of battery cells Battery capacity Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage DC-in jack Security	2 5136 mAh 38 Wh 33 W 50 - 60 Hz 100 - 240 V 1.75 A 19 V
Camera Front camera Network Wi-Fi Wi-Fi standards Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Data network	✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n) ✓ 10,100 Mbit/s ✓ 4.0 Not supported	Battery technology Number of battery cells Battery capacity Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot	2 5136 mAh 38 Wh 33 W 50 - 60 Hz 100 - 240 V 1.75 A 19 V
Camera Front camera Network Wi-Fi Wi-Fi standards Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Data network 4G WiMAX	✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n) ✓ 10,100 Mbit/s ✓ 4.0 Not supported	Battery technology Number of battery cells Battery capacity Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Weight & dimensions	2 5136 mAh 38 Wh 33 W 50 - 60 Hz 100 - 240 V 1.75 A 19 V ✓
Camera Front camera Network Wi-Fi Wi-Fi standards Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Data network 4G WiMAX Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A	✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n) ✓ 10,100 Mbit/s ✓ 4.0 Not supported ×	Battery technology Number of battery cells Battery capacity Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Weight & dimensions Width	2 5136 mAh 38 Wh 33 W 50 - 60 Hz 100 - 240 V 1.75 A 19 V X 303 mm
Camera Front camera Network Wi-Fi Wi-Fi standards Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Data network 4G WiMAX Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n) ✓ 10,100 Mbit/s ✓ 4.0 Not supported × 2 1	Battery technology Number of battery cells Battery capacity Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Weight & dimensions Width Depth	2 5136 mAh 38 Wh 33 W 50 - 60 Hz 100 - 240 V 1.75 A 19 V X 303 mm 200 mm
Camera Front camera Network Wi-Fi Wi-Fi standards Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Data network 4G WiMAX Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports	✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n) ✓ 10,100 Mbit/s ✓ 4.0 Not supported × 2 1	Battery technology Number of battery cells Battery capacity Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Weight & dimensions Width Depth Height	2 5136 mAh 38 Wh 33 W 50 - 60 Hz 100 - 240 V 1.75 A 19 V X 303 mm 200 mm 20.9 mm
Camera Front camera Network Wi-Fi Wi-Fi standards Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Data network 4G WiMAX Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity *	 802.11b, 802.11g, Wi-Fi 4 (802.11n) 10,100 Mbit/s 4.0 Not supported x 	Battery technology Number of battery cells Battery capacity Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Weight & dimensions Width Depth Height Weight *	2 5136 mAh 38 Wh 33 W 50 - 60 Hz 100 - 240 V 1.75 A 19 V X 303 mm 200 mm
Camera Front camera Network Wi-Fi Wi-Fi standards Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Data network 4G WiMAX Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port	✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n) ✓ 10,100 Mbit/s ✓ 4.0 Not supported × 2 1 1 1	Battery technology Number of battery cells Battery capacity Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Weight & dimensions Width Depth Height	2 5136 mAh 38 Wh 33 W 50 - 60 Hz 100 - 240 V 1.75 A 19 V X 303 mm 200 mm 20.9 mm
Camera Front camera Network Wi-Fi Wi-Fi standards Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Data network 4G WiMAX Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port VGA (D-Sub) ports quantity	 7 802.11b, 802.11g, Wi-Fi 4 (802.11n) 10,100 Mbit/s 4.0 Not supported X 1 1 X 1 	Battery technology Number of battery cells Battery capacity Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Weight & dimensions Width Depth Height Weight *	2 5136 mAh 38 Wh 33 W 50 - 60 Hz 100 - 240 V 1.75 A 19 V X 303 mm 200 mm 20.9 mm
Camera Front camera Network Wi-Fi Wi-Fi standards Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Data network 4G WiMAX Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port VGA (D-Sub) ports quantity S/PDIF out port	<pre> ## 802.11b, 802.11g, Wi-Fi 4 (802.11n) 10,100 Mbit/s 4.0 Not supported ** 2 1 1 1 ** 1 ** ** ** **</pre>	Battery technology Number of battery cells Battery capacity Battery capacity * Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Weight & dimensions Width Depth Height Height Weight * Other features	2 5136 mAh 38 Wh 33 W 50 - 60 Hz 100 - 240 V 1.75 A 19 V
Front camera Network Wi-Fi Wi-Fi standards Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Data network 4G WiMAX Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port VGA (D-Sub) ports quantity S/PDIF out port Microphone in	<pre> / 802.11b, 802.11g, Wi-Fi 4 (802.11n) / 10,100 Mbit/s / 4.0 Not supported x 2 1 1 1 1 x 1 x x</pre>	Battery technology Number of battery cells Battery capacity Battery capacity Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Weight & dimensions Width Depth Height Weight * Other features LightScribe	2 5136 mAh 38 Wh 33 W 50 - 60 Hz 100 - 240 V 1.75 A 19 V
Front camera Network Wi-Fi Wi-Fi standards Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Data network 4G WiMAX Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port VGA (D-Sub) ports quantity S/PDIF out port Microphone in Combo headphone/mic port	<pre> / 802.11b, 802.11g, Wi-Fi 4 (802.11n) / 10,100 Mbit/s / 4.0 Not supported X 2 1 1 1 1 X X Y / / / / / / / / / / / / / / / / /</pre>	Battery technology Number of battery cells Battery capacity Battery capacity Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Weight & dimensions Width Depth Height Weight * Other features LightScribe	2 5136 mAh 38 Wh 33 W 50 - 60 Hz 100 - 240 V 1.75 A 19 V
Front camera Network Wi-Fi Wi-Fi standards Ethernet LAN Ethernet LAN data rates Bluetooth Bluetooth version Data network 4G WiMAX Ports & interfaces USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port VGA (D-Sub) ports quantity S/PDIF out port Microphone in	<pre> / 802.11b, 802.11g, Wi-Fi 4 (802.11n) / 10,100 Mbit/s / 4.0 Not supported x 2 1 1 1 1 x 1 x x</pre>	Battery technology Number of battery cells Battery capacity Battery capacity Power AC adapter power AC adapter frequency AC adapter input voltage AC adapter output current AC adapter output voltage DC-in jack Security Cable lock slot Weight & dimensions Width Depth Height Weight * Other features LightScribe	2 5136 mAh 38 Wh 33 W 50 - 60 Hz 100 - 240 V 1.75 A 19 V

