

ASUS P6X58D-E Intel® X58 Socket B (LGA 1366) ATX

العلامة التجارية : ASUS

رمز المنتج: MIBD80-G0AAY00Z 90

اسم المنتج : P6X58D-E

ASUS P6X58D-E. صانع المعالج: Intel, مقبس المعالج: Socket B (LGA 1366), مجموعة معالجات متوافقة, Intel® Core™ i7. الحد الأقصى لسعة الذاكرة الداخلية: 24 جيجابايت, قنوات الذاكرة: قناة DDR3-SDRAM, أنواع الذاكرة المدعومة: RAID: مستويات المصفوفة المتكررة من الأقراص غير المكلفة, SATA II, SATA III, ثلاثية. واجهات سوابقات التخزين المدعومة: 0, 1, 5, 10. 3. نوع واجهة الشبكة: إيثرنت سريع, إيثرنت. Quad-GPU CrossFireX, دعم تقنية المعالجة المتوازية: 0, 1, 5, 10. 3. Gigabit Ethernet: ميزات الربط الشبكي, Marvell 88E8056, LAN: غيغابايت, المتحكم بالشبكة المحلية



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Processor socket *	Socket B (LGA 1366)	Ethernet LAN (RJ-45) ports *	1
Compatible processor series *	Intel® Core™ i7	PS/2 ports quantity	2
System bus rate	6.4 GT/s	Firewire (IEEE 1394) ports	1
Memory		Microphone in	✓
Supported memory types *	DDR3-SDRAM	S/PDIF out port	✓
Number of memory slots *	6	Network	
Memory channels	Triple-channel	Ethernet interface type	Fast Ethernet, Gigabit Ethernet
Supported memory clock speeds	1066,1333,1600,2000 MHz	LAN controller	Marvell 88E8056
Maximum internal memory *	24 GB	Networking features	Gigabit Ethernet
Storage controllers		Features	
Supported storage drive interfaces *	SATA II, SATA III	Motherboard chipset *	Intel® X58
RAID levels	0, 1, 5, 10	Motherboard southbridge	Intel ICH10R
Graphics		Audio chip	Realtek ALC889
Parallel processing technology support *	3-Way SLI, Quad-GPU CrossFireX	Audio output channels *	7.1 channels
Internal I/O		Component for *	PC
USB 2.0 connectors *	2	Motherboard form factor *	ATX
Number of SATA III connectors *	2	Motherboard chipset family *	Intel
Number of SATA II connectors	6	Power source type	ATX
S/PDIF out connector	✓	Expansion slots	
Front panel audio connector	✓	PCI Express x1 slots	1
CD/AUX audio in	✓	PCI Express x16 slots	3
Power fan connector	✓	PCI slots	2
CPU fan connector	✓	BIOS	
Number of chassis fan connectors	3	BIOS type *	AMI
Number of IEEE1394 connectors	1	BIOS memory size	16 Mbit

Rear panel I/O ports		BIOS	
USB 2.0 ports quantity *	4	ACPI version	2.0a
		Clear CMOS button	✓
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Packaging content	
		Cables included	SATA
		Drivers included	✓
		Other features	
		Manageability features	WfM 2.0,DMI 2.0,WOL by PME,WOR by PME,PXE

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-MAY-2025. Prints or copies of Information are only valid on the printed Publication date