

Beko BDI6C55FA komfur og ovn Fritstående komfur Elektrisk Zone induktionskogeplade Anthracit

Mærke : Beko Produktkode: BDI6C55FA

Produktnavn: BDI6C55FA

Beko BDI6C55FA. Produkttype: Fritstående komfur, Produktfarve: Anthracit, Kontroltype: Dreje, Berøring. Komfurtype: Zone induktionskogeplade, Antal kogeplader / madlavningsområde: 4 zone(s), Antal elektriske kogeplader: 4 zone(s). Ovn - størrelse: Medium, Ovn strømkilde: Elektrisk, Ovn nettokapacitet: 69 L. Ovn 2 størrelse: Lille, Ovn 2 strømkilde: Elektrisk, Ovn 2 position: Top. Kogeplade timertype: Digital, Ovn timer type: Digital, Timer type: Digital





Design		Oven 2	
Product type * Product colour * Control type * Control panel material Integrated clock Built-in display * Display type Microwave + grill cooking	Freestanding cooker Anthracite Rotary, Touch Metal LED	Oven 2 Oven 2 grill type Oven 2 grill power Oven 2 full surface grill Oven 2 thermostat range Oven 2 door opening Oven 2 door material Oven 2 number of glass door panels Oven 2 removable door glass Oven 2 number of shelves	Variable rate grill 2200 W 80 - 240 °C Drop down opening Glass/metal 3
Microwave + combi cooking Certification Hob	X EN 60335-2-6	Oven 2 number of shelf positions Oven 2 telescopic shelves Oven 2 interior light	2 ×
Hob power source Hob type * Number of cooking zones * Number of electric cooking zones Electronic ignition Cooking zone 1 position	Electric Zone induction hob 4 zone(s) 4 zone(s) X Left front	Oven 2 conventional cooking Oven 2 internal coating Oven 2 catalytic liners on side walls Oven 2 removable shelf runners Oven 2 shelf stoppers	✓ Enamel
Cooking zone 1 power source Cooking zone 1 power Cooking zone 1 boost Cooking zone 2 position Cooking zone 2 power source Cooking zone 2 power	Electric 2000 W 2300 W Right front Electric 2000 W	Ergonomics Hob timer Oven timer Hob timer type Oven timer type	✓ ✓ Digital Digital

Hab		Function	
Hob	2200 W	Ergonomics	
Cooking zone 2 boost	2300 W	Delayed start timer	
Cooking zone 3 position	Left rear	Timer type	Digital
Cooking zone 3 power source Cooking zone 3 power	Electric 2000 W	Adjustable feet	✓
Cooking zone 3 boost	2300 W	Power	
Cooking zone 4 position	Right rear	Connected load (electric)	11400 W
Cooking zone 4 power source	Electric	Energy consumption (forced	0.79 kWh
Cooking zone 4 power	2000 W	convection) *	0.75 KWII
Cooking zone 4 boost	2300 W	Oven 2 energy consumption (conventional)	0.7 kWh
Hob on indicator	✓	Recommended for hardwiring	✓
Adjustable heat settings	✓	Energy efficiency class (old)	A
Wok burner *	×	Oven 2 energy efficiency class (old)	
Oven		Minimum fuse protection	32 A
Oven size *	Medium	Packaging content	
Number of ovens *	2	Grill plate	✓
Oven power source *	Electric	Grill plate handle(s)	x
Oven position	Bottom	Grill plate width	46 cm
Oven net capacity *	69 L	Grill plate depth	37 cm
Grill *	×	Grill plate height	4 cm
Fan grill function	×	Pizza tray	X
Grill with fan	×	Grill grid included	✓
Half grill	×	Telescopic rail included	×
ECO mode	×		
Microwave cooking	×	Weight & dimensions	500
Oven thermostat range	80 - 240 °C	Width * Depth	600 mm 600 mm
Oven door opening	Side opening	Height	900 mm
Oven door material	Glass/metal	Weight	62.3 kg
Number of glass door panels	3	- 3	· · ·
Number of glass door pariets	3	Packaging data	
Door cooling fan	×	Packaging data	660 mm
Door cooling fan Removable door glass		Package width	660 mm
Door cooling fan Removable door glass Number of shelves	× v 2 shelves	Package width Package depth	700 mm
Door cooling fan Removable door glass Number of shelves Number of shelf positions	× 2 shelves 5	Package width	700 mm 1025 mm
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf runners	× v 2 shelves	Package width Package depth Package height Package weight	700 mm
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf runners Interior light	× 2 shelves 5	Package width Package depth Package height Package weight Logistics data	700 mm 1025 mm 66 kg
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf runners Interior light Programmable oven	× ✓ 2 shelves 5	Package width Package depth Package height Package weight	700 mm 1025 mm
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf runners Interior light	× ✓ 2 shelves 5	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS)	700 mm 1025 mm 66 kg
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf runners Interior light Programmable oven	× 2 shelves 5 ×	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight	700 mm 1025 mm 66 kg 716.31 g
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf runners Interior light Programmable oven 3D hot air	× v 2 shelves 5 × v v	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Plastic packaging weight	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf runners Interior light Programmable oven 3D hot air Bottom heating Convection cooking Convection power	x v 2 shelves 5 x v x x	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Plastic packaging weight Wood packaging weight	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g 2.29 kg
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf runners Interior light Programmable oven 3D hot air Bottom heating Convection cooking	x 2 shelves 5 x	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Plastic packaging weight Wood packaging weight Harmonized System (HS) code	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g 2.29 kg 85166010
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf runners Interior light Programmable oven 3D hot air Bottom heating Convection cooking Convection power	x v 2 shelves 5 x v 1800 W	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Plastic packaging weight Wood packaging weight Harmonized System (HS) code Package tare weight	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g 2.29 kg 85166010 4.28 kg
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf runners Interior light Programmable oven 3D hot air Bottom heating Convection cooking Convection power Conventional cooking	x y 2 shelves 5 x y 1800 W	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Plastic packaging weight Wood packaging weight Harmonized System (HS) code Package tare weight Cardboard packaging weight	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g 2.29 kg 85166010 4.28 kg 1.07 kg
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf runners Interior light Programmable oven 3D hot air Bottom heating Convection cooking Convection power Conventional cooking Steam cooking	X ✓ 2 shelves 5 X ✓ ✓ ✓ ✓ ✓ ✓ ✓ X X X ✓ ✓ X X X	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Plastic packaging weight Wood packaging weight Harmonized System (HS) code Package tare weight Cardboard packaging weight Products per intermodal container (20ft)	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g 2.29 kg 85166010 4.28 kg
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf runners Interior light Programmable oven 3D hot air Bottom heating Convection cooking Convection power Conventional cooking Steam cooking Oven keep warm function	x v 2 shelves 5 x v 1800 W x x	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Plastic packaging weight Wood packaging weight Harmonized System (HS) code Package tare weight Cardboard packaging weight Products per intermodal container (20ft) Maximum stacked products per	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g 2.29 kg 85166010 4.28 kg 1.07 kg
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf runners Interior light Programmable oven 3D hot air Bottom heating Convection cooking Convection power Conventional cooking Steam cooking Oven keep warm function Pizza making function Defrost function * Self-cleaning	x y 2 shelves 5 x y 1800 W x x x	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Plastic packaging weight Wood packaging weight Harmonized System (HS) code Package tare weight Cardboard packaging weight Products per intermodal container (20ft) Maximum stacked products per intermodal container (20ft)	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g 2.29 kg 85166010 4.28 kg 1.07 kg 108 pc(s)
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf positions Removable shelf runners Interior light Programmable oven 3D hot air Bottom heating Convection cooking Convection power Conventional cooking Steam cooking Oven keep warm function Pizza making function Defrost function * Self-cleaning Cleaning type	X ✓ 2 shelves 5 X ✓ ✓ ✓ ✓ ✓ ✓ ✓ X X X ✓ ✓ ✓ X X	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Plastic packaging weight Wood packaging weight Harmonized System (HS) code Package tare weight Cardboard packaging weight Products per intermodal container (20ft) Maximum stacked products per	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g 2.29 kg 85166010 4.28 kg 1.07 kg 108 pc(s) 5 4.28 kg
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf runners Interior light Programmable oven 3D hot air Bottom heating Convection cooking Convection power Conventional cooking Steam cooking Oven keep warm function Pizza making function Defrost function * Self-cleaning	x y 2 shelves 5 x y 1800 W x x x x	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Plastic packaging weight Wood packaging weight Harmonized System (HS) code Package tare weight Cardboard packaging weight Products per intermodal container (20ft) Maximum stacked products per intermodal container (20ft) Total packaging weight	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g 2.29 kg 85166010 4.28 kg 1.07 kg 108 pc(s) 5 4.28 kg 778.6 g
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf runners Interior light Programmable oven 3D hot air Bottom heating Convection cooking Convection power Convection power Conventional cooking Steam cooking Oven keep warm function Pizza making function Defrost function * Self-cleaning Cleaning type Catalytic liners on side walls Open door grilling	x y 2 shelves 5 x y 1800 W x x x Catalytic	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Wood packaging weight Harmonized System (HS) code Package tare weight Cardboard packaging weight Products per intermodal container (20ft) Maximum stacked products per intermodal container (20ft) Total packaging weight Straphor packaging weight Products per intermodal container (40ft)	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g 2.29 kg 85166010 4.28 kg 1.07 kg 108 pc(s) 5 4.28 kg
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf positions Removable shelf runners Interior light Programmable oven 3D hot air Bottom heating Convection cooking Convection power Conventional cooking Steam cooking Oven keep warm function Pizza making function Defrost function * Self-cleaning Cleaning type Catalytic liners on side walls Open door grilling Tilting grill	x y 2 shelves 5 x y 1800 W x x X Catalytic x	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Plastic packaging weight Wood packaging weight Harmonized System (HS) code Package tare weight Cardboard packaging weight Products per intermodal container (20ft) Maximum stacked products per intermodal container (20ft) Total packaging weight Straphor packaging weight Products per intermodal container (40ft) Pallets per intermodal container	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g 2.29 kg 85166010 4.28 kg 1.07 kg 108 pc(s) 5 4.28 kg 778.6 g
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf positions Removable shelf runners Interior light Programmable oven 3D hot air Bottom heating Convection cooking Convection power Conventional cooking Steam cooking Oven keep warm function Pizza making function Defrost function * Self-cleaning Cleaning type Catalytic liners on side walls Open door grilling Tilting grill Oven cooking method	x y 2 shelves 5 x y 1800 W x x x Catalytic x X Static	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Wood packaging weight Harmonized System (HS) code Package tare weight Cardboard packaging weight Products per intermodal container (20ft) Maximum stacked products per intermodal container (20ft) Total packaging weight Straphor packaging weight Products per intermodal container (40ft) Pallets per intermodal container (40ft, HC)	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g 2.29 kg 85166010 4.28 kg 1.07 kg 108 pc(s) 5 4.28 kg 778.6 g 108 pc(s)
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf runners Interior light Programmable oven 3D hot air Bottom heating Convection cooking Convection power Conventional cooking Steam cooking Oven keep warm function Pizza making function Defrost function * Self-cleaning Cleaning type Catalytic liners on side walls Open door grilling Tilting grill Oven cooking method Cooling fan	x y 2 shelves 5 x y 1800 W x x X Catalytic x Static y	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Plastic packaging weight Wood packaging weight Harmonized System (HS) code Package tare weight Cardboard packaging weight Products per intermodal container (20ft) Maximum stacked products per intermodal container (20ft) Total packaging weight Straphor packaging weight Products per intermodal container (40ft) Pallets per intermodal container	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g 2.29 kg 85166010 4.28 kg 1.07 kg 108 pc(s) 5 4.28 kg 778.6 g 108 pc(s)
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf positions Removable shelf runners Interior light Programmable oven 3D hot air Bottom heating Convection cooking Convection power Convection power Conventional cooking Steam cooking Oven keep warm function Pizza making function Defrost function * Self-cleaning Cleaning type Catalytic liners on side walls Open door grilling Tilting grill Oven cooking method Cooling fan Internal coating colour	X Y 2 shelves 5 X Y X X X X X X X X X X X	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Plastic packaging weight Wood packaging weight Harmonized System (HS) code Package tare weight Cardboard packaging weight Products per intermodal container (20ft) Maximum stacked products per intermodal container (20ft) Total packaging weight Straphor packaging weight Products per intermodal container (40ft) Pallets per intermodal container (40ft, HC) Pallets per intermodal container (20ft) Maximum stacked pallets per	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g 2.29 kg 85166010 4.28 kg 1.07 kg 108 pc(s) 5 4.28 kg 778.6 g 108 pc(s)
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf positions Removable shelf runners Interior light Programmable oven 3D hot air Bottom heating Convection cooking Convection power Conventional cooking Steam cooking Oven keep warm function Pizza making function Defrost function * Self-cleaning Cleaning type Catalytic liners on side walls Open door grilling Tilting grill Oven cooking method Cooling fan Internal coating colour Static cooking	x y 2 shelves 5 x y 1800 W x x X Catalytic x Static Black	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Plastic packaging weight Wood packaging weight Harmonized System (HS) code Package tare weight Cardboard packaging weight Products per intermodal container (20ft) Maximum stacked products per intermodal container (20ft) Total packaging weight Straphor packaging weight Products per intermodal container (40ft) Pallets per intermodal container (40ft) Pallets per intermodal container (20ft) Maximum stacked pallets per intermodal container (20ft) Maximum stacked pallets per intermodal container (20ft)	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g 2.29 kg 85166010 4.28 kg 1.07 kg 108 pc(s) 5 4.28 kg 778.6 g 108 pc(s) 108 pc(s)
Door cooling fan Removable door glass Number of shelves Number of shelf positions Removable shelf positions Removable shelf runners Interior light Programmable oven 3D hot air Bottom heating Convection cooking Convection power Convection power Conventional cooking Steam cooking Oven keep warm function Pizza making function Defrost function * Self-cleaning Cleaning type Catalytic liners on side walls Open door grilling Tilting grill Oven cooking method Cooling fan Internal coating colour	X Y 2 shelves 5 X Y X X X X X X X X X X X	Package width Package depth Package height Package weight Logistics data Expanded Polystyrene (EPS) packaging weight Metal packaging weight Paper packaging weight Plastic packaging weight Wood packaging weight Harmonized System (HS) code Package tare weight Cardboard packaging weight Products per intermodal container (20ft) Maximum stacked products per intermodal container (20ft) Total packaging weight Straphor packaging weight Products per intermodal container (40ft) Pallets per intermodal container (40ft, HC) Pallets per intermodal container (20ft) Maximum stacked pallets per	700 mm 1025 mm 66 kg 716.31 g 800 g 906 g 195.5 g 2.29 kg 85166010 4.28 kg 1.07 kg 108 pc(s) 5 4.28 kg 778.6 g 108 pc(s) 108 pc(s)

Oven 2

Oven 2 size Small
Oven 2 power source Electric
Oven 2 position Top
Oven 2 net capacity 36 L
Oven 2 grill ✓



8690842472701

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.