Philips Signage Solutions 37BDL3050S/00 Signage Display 94 cm (37") 700 cd/m² Full HD Black Built-in processor Android 8.0 24/7

Brand : Philips

Product family: Signage Solutions

Product code: 37BDL3050S/00



Product name : 37BDL3050S/00

Philips Signage Solutions 37BDL3050S/00. Display diagonal: 94 cm (37"), Display resolution: 1920 x 540 pixels, Display brightness: 700 cd/m², HD type: Full HD. Operating hours (hours/days): 24/7. Operating system installed: Android 8.0. Product colour: Black

Display		Performance	
Display resolution * Display brightness * Display brightness * HD type * Native aspect ratio Response time Contrast ratio (typical) Viewing angle, horizontal Viewing angle, vertical Pixel pitch Ports & interfaces HDMI ports quantity * HDMI version HDMI nput ports quantity HDMI output ports quantity VGA (D-Sub) input ports USB port * USB port * USB ports quantity USB version USB connector type Ethernet LAN * Ethernet LAN (RJ-45) ports PC Audio in RS-232 interface	94 cm (37") 1920 x 540 pixels 700 cd/m ² Full HD 32:9 8 ms 4000:1 178° 0.47 x 0.47 mm 2 2.0 1 1 2 2.0 1 1 2 2.0 1 1 4 1 2 2 2.0 1 1 4 4 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4	On Screen Display (OSD) languages Operating hours (hours/days)	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, French, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish 24/7 50000 h
		Mean time between failures (MTBF)	50000 11
		Power Power consumption (typical) * Power consumption (standby) * Input voltage AC input voltage AC input frequency	70 W 0.5 W 100/240 V 100/240 V 50 - 60 Hz
		Built-in processor * Internal memory On-board graphics card model Internal storage capacity Operating system installed	 2 GB ARM Mali-G51 8 GB Android 8.0
		Weight & dimensions	
		Display width Display depth Display height Display weight	928.5 mm 48.7 mm 282.3 mm 7.76 kg
		Remote (IR) output	1
DesignPlacement supported *IndoorOrientationHorizontalProduct colour *BlackVESA mounting *✓Panel mounting interface400 x 200 mm	Horizontal	Remote control included Batteries included Cables included Mounting kit	✓ ✓ AC, HDMI, IR sensor, RS-232 ✓
	1	Operational conditions	
		Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T) Storage relative humidity (H-H)	0 - 40 °C 20 - 80% -20 - 60 °C 5 - 95%

Certificates

Certification

THIS FCC Class A CB





8712581799489

0810112790016



810112790016

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.