



HP DeskJet 2820e All-in-One Printer,

Brand : HP

Product family: DeskJet

Product code: 588L1A

Product name : HP DeskJet 2820e All-in-One Printer,

DeskJet 2820e All-in-One Printer

[HP DeskJet 2820e All-in-One Printer;](#)



HP DeskJet 2820e All-in-One Printer,, Print technology: Thermal inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 5.5 ppm. Copying: Colour copying, Maximum copy resolution: 300 x 300 DPI. Optical scanning resolution: 1200 x 1200 DPI. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: White



Printing		Network	
Duplex printing mode	Manual	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Print resolution colour	4800 x 1200 DPI	Mobile printing technologies	Apple AirPrint, Mopria Print Service
Print resolution black	1200 x 1200 DPI	Performance	
Print technology *	Thermal inkjet	Maximum internal memory	64 MB
Printing *	Colour printing	Internal memory *	64 MB
Duplex printing *	✓	Built-in processor	✓
Maximum resolution *	4800 x 1200 DPI	Processor frequency	1000 MHz
Print speed (black, normal quality, A4/US Letter) *	7.5 ppm	Sound power level (printing)	6.1 dB
Print speed (colour, normal quality, A4/US Letter)	5.5 ppm	Design	
Print speed (black, draft quality, A4/US Letter)	20 ppm	Product colour *	White
Print speed (colour, draft quality, A4/US Letter)	16 ppm	Market positioning *	Home & office
Print speed (ISO/IEC 24734) black	7.5 ppm	Built-in display *	✓
Print speed (ISO/IEC 24734) colour	5.5 ppm	Display	LCD
Time to first page (black, normal)	15 s	Control type	Buttons
Time to first page (colour, normal)	19 s	System requirements	
Copying		Windows operating systems supported	Windows 10, Windows 11
Duplex copying *	✓	Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 13.0 Ventura, Mac OS X 10.14 Mojave, Mac OS X 12.0 Monterey, Mac OS X 11.0 Big Sur
Copying *	Colour copying	Other operating systems supported	ChromeOS
Maximum copy resolution *	300 x 300 DPI	Operational conditions	
Maximum number of copies	9 copies	Operating temperature (T-T)	5 - 40 °C
Auto fit function	✓	Non-operating relative humidity (non-condensing)	5 - 90%
Scanning		Operating altitude	0 - 3000 m
Duplex scanning *	✗	Non-operating altitude	0 - 4500 m
Optical scanning resolution *	1200 x 1200 DPI	Certificates	
Scan drivers	TWAIN	Certification	EN 55032:2015+A11:2020 CLASS B, IEC 61000-4-2:2008, IEC 61000-4-2:2008, IEC 61000-4-3:2020, IEC 61000-4-4:2012, IEC 61000-4-5:2014+A1:2017, IEC 61000-4-6:2013, IEC 61000-4-8:2009, IEC 61000-4-11:2004+A1:2017, EN 301 489-1 V2.2.3, EN 301 489-17 V3.2.4, FCC CFR 47 PART 15, ICES-003, ISSUE 7
Features			
Recommended duty cycle	50 - 100 pages per month		
Maximum duty cycle *	1000 pages per month		
Duplex functions *	Print		
Number of print cartridges *	2		
Printing colours *	Black, Cyan, Magenta, Yellow		
Page description languages	URF, PCLm, PCL 3 GUI		
All-In-One-multitasking	✓		
Country of origin	China		
HP segment	Home		

Input & output capacity		Sustainability	
Total number of input trays *	1	Sustainability compliance	✓
Total input capacity *	60 sheets	Sustainability certificates	Post-Consumer Recycled Plastic
Total output capacity *	25 sheets	Weight & dimensions	
Maximum number of input trays	1	Width	425 mm
Maximum input capacity	60 sheets	Depth	304 mm
Maximum output capacity	25 sheets	Height	154 mm
Paper handling		Weight	3.42 kg
Maximum ISO A-series paper size *	A4	Packaging data	
Maximum print size	209.9 x 349.6 mm	Package width	475 mm
Paper tray media types *	Envelopes, Photo paper, Plain paper	Package depth	191 mm
ISO A-series sizes (A0...A9) *	A4, A6	Package height	354 mm
ISO B-series sizes (B0...B9)	B5	Package weight	4.58 kg
Envelopes sizes	B5, DL	Packaging content	
Paper tray media weight	60 - 300 g/m ²	Cartridge(s) included	✓
Ports & interfaces		Included cartridge capacity (black)	120 pages
USB port	✓	Included cartridge capacity (CMY)	100 pages
USB 2.0 ports quantity	1	Cables included	AC
Network		Bundled software	HP Printer Software, available online
Wi-Fi *	✓	Logistics data	
Ethernet LAN *	✗	Harmonized System (HS) code	8443310000
		Technical details	
		Master (outer) cases per pallet layer	12 pc(s)
		Other features	
		Number of users	3 user(s)
		Recommended system requirements	Windows 10, 11, : 1 GHz 32-bit (x86) or 64-bit (x64) processor, 2 GB available hard disk space, Internet connection, Internet Explorer.
		Number of print heads	2



0196337380059



196337380059

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.