



**MSI H61M-P20-G3 motherboard Intel® H61 LGA 1155 (Socket H2) micro ATX**


**Brand :** MSI

**Product code:** H61M-P20-G3

**Product name :** H61M-P20-G3

Intel LGA 1155, Intel H61 (B3), 2 x DDR3 DIMMs 1066/1333/1600 MHz max 16GB, 4 x SATAII, Realtek ALC887, Fast Ethernet, Micro-ATX

MSI H61M-P20-G3. Processor manufacturer: Intel, Processor socket: LGA 1155 (Socket H2), Compatible processor series: Intel® Celeron®, Intel® Pentium®. Supported memory types: DDR3-SDRAM, Maximum internal memory: 16 GB, Memory slots type: DIMM. Supported storage drive interfaces: SATA, SATA II. Ethernet interface type: Fast Ethernet, LAN controller: Realtek RTL8105E. Component for: PC, Motherboard form factor: micro ATX, Motherboard chipset family: Intel



Processor		Internal I/O	
Processor manufacturer *	Intel	Serial port headers	1
Processor socket *	LGA 1155 (Socket H2)	Rear panel I/O ports	
Compatible processor series *	Intel® Celeron®, Intel® Pentium®	USB 2.0 ports quantity *	6
Maximum number of SMP processors	1	Ethernet LAN (RJ-45) ports *	1
Processor system buses supported	1066,1333,1600 MHz	PS/2 ports quantity	2
Intel Core i3/i5/i7/i9 series	i3-3xxx, i5-3xxx, i7-3xxx	VGA (D-Sub) ports quantity *	1
Memory		DVI-D ports quantity *	1
Supported memory types *	DDR3-SDRAM	Headphone outputs	1
Number of memory slots *	2	Microphone in	✓
Memory slots type	DIMM	Network	
Memory channels	Dual-channel	Ethernet LAN	✓
Memory voltage	1.5 V	Ethernet interface type	Fast Ethernet
Supported memory clock speeds	1066,1333,1600 MHz	LAN controller	Realtek RTL8105E
Maximum internal memory *	16 GB	Wake-on-LAN ready	✓
Supported memory module capacities	1GB, 2GB, 4GB, 8GB	Features	
Storage controllers		Motherboard chipset *	Intel® H61
Supported storage drive interfaces *	SATA, SATA II	Audio chip	Realtek ALC887
Graphics		Audio output channels *	7.1 channels
Parallel processing technology support *	Not supported	Component for *	PC
Internal I/O		Motherboard form factor *	micro ATX
USB 2.0 connectors *	2	Motherboard chipset family *	Intel
Number of SATA II connectors	4	Cooling type	Passive
Number of Parallel ATA connectors	1	Power source type	ATX
Front panel audio connector	✓	Overclocking features	OC Genie II
ATX Power connector (24-pin)	✓	Expansion slots	
CPU fan connector	✓	PCI Express x1 (Gen 2.x) slots	1
Number of chassis fan connectors	2	PCI Express x16 (Gen 3.x) slots	1
Chassis intrusion connector	✓	BIOS	
		Clear CMOS jumper	✓

Weight & dimensions	
Width	173 mm
Depth	226 mm
Packaging content	
Drivers included	✓
Other features	
Quick installation guide	✓

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.