ATGBICS QFX-SFP-DAC-7MA Juniper Compatible Direct Attach Copper Twinax Cable 10G SFP+ Cu (7m, Active)

Brand: ATGBICS Product code: QFX-SFP-DAC-7MA-C

Product name : QFX-SFP-DAC-7MA Juniper Compatible Direct Attach Copper Twinax Cable 10G SFP+ Cu (7m, Active)

QFX-SFP-DAC-7MA Juniper Compatible Direct Attach Copper Twinax Cable 10G SFP+ Cu (7m, Active)

ATGBICS QFX-SFP-DAC-7MA Juniper Compatible Direct Attach Copper Twinax Cable 10G SFP+ Cu (7m, Active):

ATGBICS QFX-SFP-DAC-7MA compatible 10GBase-CU SFP+ to SFP+ direct attach cable operates over active copper with a cable length of 7m. It is suitable for short reach connection between two SFP+ ports in 10G interconnecting networking applications. Our product meets the specification of Juniper QFX-SFP-DAC-7MA= and we proudly offer a compatibility guarantee and lifetime warranty. Our rigorously tested products record a unique traceable serial number and are fully compliant with all MSA Standards and protocols including; 1x InfiniBand QDR, DDR, SDR, 10G Gigabit Ethernet, Fibre Channel, MSA SPF+SFF-8431, SFF-8432, and SFF-8472 compliant.

ATGBICS QFX-SFP-DAC-7MA Juniper Compatible Direct Attach Copper Twinax Cable 10G SFP+ Cu (7m, Active). Cable length: 7 m, Connector 1: SFP+, Connector 2: SFP+







Features		Features	
Cable length *	7 m	Certification	CE, FCC, RoHS
Connector 1 * Connector 2 *	sr 2 * SFP+ r 1 gender * Male r 2 gender * Male blour * Black nterface type 10 Gigabit Ethernet sfer rate 10000 Mbit/s terial * Polyvinyl chloride (PVC) r material Copper npatibility Juniper Play	Technical details	
Connector 1 gender * Connector 2 gender * Product colour * Ethernet interface type		Sustainability compliance Sustainability certificates Doesn't contain Compliance certificates	RoHS Lead RoHS
Data transfer rate		Operational conditions	
Jacket material * Conductor material		Operating temperature (T-T) Storage temperature (T-T)	0 - 70 °C -40 - 80 °C
Brand compatibility		Packaging data	
Plug and Play Country of origin		Quantity per pack	1 pc(s)
		Other features	
		Networking standards	IEEE 802.3ae



5056468723079

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.