Samsung Galaxy S22 SM-S901B 15.5 cm (6.1") Dual SIM Android 12 5G USB Type-C 8 GB 128 GB 3700 mAh Green

Brand : Samsung **Product family:** Galaxy **Product code:** SM-S901BZGDEUB

Product name: SM-S901B

- The biggest leap in our video technology
- The first 4nm processor on Samsung Galaxy
- The battery that lasts beyond 24 hours, even on 5G Galaxy S22 5G

Samsung Galaxy S22 SM-S901B. Display diagonal: $15.5 \, \mathrm{cm}$ (6.1"), Display resolution: $2340 \, \mathrm{x}$ 1080 pixels. Processor frequency: $2.8 \, \mathrm{GHz}$, Processor family: Samsung Exynos, Processor model: $2200 \, \mathrm{RAM}$ capacity: $8 \, \mathrm{GB}$, Internal storage capacity: $128 \, \mathrm{GB}$. Rear camera resolution (numeric): $50 \, \mathrm{MP}$, Rear camera type: Triple camera. SIM card capability: Dual SIM. Operating system installed: Android $12 \, \mathrm{CM}$ Battery capacity: $3700 \, \mathrm{mAh}$. Product colour: Green. Weight: $167 \, \mathrm{g}$







| Display | | Ports & interfaces | |
|--|--|---|---------------------------------|
| Display diagonal * | 15.5 cm (6.1") | ANT+ enabled | × |
| Screen shape | Flat | Messaging | |
| Display technology marketing name | • | Short Message Service (SMS) | √ |
| Panel type Display glass type Gorilla Glass version | OLED Gorilla Glass Gorilla Glass 7 | Multimedia Messaging Service (MMS) E-mail | √ |
| Display resolution * | 2340 x 1080 pixels 16 million colours 19.5:9 1000000:1 | Design | |
| Display number of colours Native aspect ratio | | Form factor * | Bar |
| Contrast ratio (typical) | | Product colour * | Green |
| Maximum refresh rate | 120 Hz | International Protection (IP) code | IP68 |
| Display brightness | 500 cd/m ² | Protection features | Dust resistant, Water resistant |
| High Dynamic Range (HDR) supported | 1 | Housing material | Aluminium, Glass |
| | | Performance | |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus) | Video call Fast charging | 1 |
| Touchscreen type | Capacitive | Wireless charging | ✓ |
| Pixel density | 425 ppi | Graphics card | AMD Voyager |
| Rounded display corners | ✓ | Fingerprint reader | ✓ |
| Processor | | Iris recognition | × |
| Processor family * Processor model * Processor cores Processor frequency * | Samsung Exynos 2200 8 2.8 GHz | Face recognition Speakerphone Country of origin Vibrating alert | √ √ Vietnam √ |
| Storage | | Navigation | |
| User memory RAM capacity * Internal storage capacity * | 100 GB 8 GB 128 GB | GPS (satellite) Position location * | √ |

| Camera | | | Multimedia | |
|---|-----------------|--|--|------------------------------|
| Rear camera resolution (nume | eric) * 5 | 50 MP | Audio system | Dolby Atmos |
| Second rear camera resolution (numeric) | ٦ 1 | 10 MP | Software | |
| Third rear camera resolution (numeric) | 1 | 12 MP | Platform * Operating system installed * | Android Android 12 |
| Rear camera aperture number | r 1 | 1.8 | Operating system fork | One UI 4.1 |
| Second rear camera aperture number | 2 | 2.4 | App distribution platform Virtual assistant | Google Play Samsung Bixby |
| Third rear camera aperture nu | ımber 2 | 2.2 | Dattam | 3 , |
| Optical zoom | 3 | Bx | Battery | |
| Digital zoom | 3 | 30x | Battery technology | Lithium-lon (Li-lon) |
| Front camera type * | S | Single camera | Battery voltage | 3.88 V |
| Front camera resolution (num | eric) * 1 | 10 MP | Battery recharge time | 1.17 h |
| Front camera aperture numbe | er 2 | 2.2 | Battery weight | 48.8 g |
| Rear camera flash * | | / | Wireless Power Share | ✓ |
| Flash type | L | _ED | Removable battery | × |
| Video capture resolution (max | :) 7 | 7680 x 4320 pixels | Battery capacity * | 3700 mAh |
| Resolution at capture speed | | 3840x2160@60fps, 7680x4320@24fps | Sensors | , |
| Video recording modes | 2 | 2160p, 4320p | Proximity sensor Accelerometer | 1 |
| Rear camera type * | Т | Triple camera | | * |
| Auto focus | | / | Ambient light sensor | * |
| Face detection | | / | Gyroscope Commonstic consor | * |
| Video stabilizer | | / | Geomagnetic sensor | <u> </u> |
| Image stabilizer | | / | Heart rate sensor | × |
| Image stabilizer type | C | Optical Image Stabilization (OIS) | Hall sensor | 1 |
| Night mode | | / | Weight & dimensions | |
| Panorama | | / | Width | 70.6 mm |
| Network | | | Depth | 7.6 mm |
| SIM card capability * | Dual SIM | 1 | Height | 146 mm |
| Mobile network generation * | 5G | | Weight * | 167 g |
| SIM card type * | NanoSIM | | Package width | 87.3 mm |
| 4G standard * | | 0 & LTE-FDD | Package depth | 27.5 mm |
| Voice over LTE (VoLTE) supported Wi-Fi * | 1 | | Package height | 163.6 mm |
| Wi-Fi standards | | , 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi- | Package weight | 285 g |
| | | 2.11ac), Wi-Fi 6 (802.11ax) | Certificates | |
| Bluetooth * Bluetooth version | √ 5.2 | | Head SAR (EU) | 1.21 W/kg |
| Bluetooth profiles | A2DP | | Body SAR (EU) | 1.59 W/kg |
| 3G bands supported | | ,1700,1900,2100 MHz | Extremities SAR (EU) | 2.71 W/kg |
| 4G bands supported | | ,1800,1900,2100,2300,2500,2600 MHz | | 2.71 W/kg |
| 5G bands supported | 700,800, MHz | ,850,900,1800,2100,2300,2600,3500,3700 | 5 5 | |
| Tethering (modem-mode) | ✓ | | Quick start guide | 4 |
| MIMO | √ | | Warranty card | V |
| Near Field Communication (NFC) | 1 | | Cables included | USB Type-C |
| Subscription Subscription type * | | No cubocciption | SIM card ejector pin | ✓ |
| Subscription type * | N | No subscription | Logistics data | 05171200 |
| Ports & interfaces | | | Harmonized System (HS) code Master (outer) case gross weight | 85171300 |
| USB port * | | / | | 6 kg 181 mm |
| USB connector type | | JSB Type-C | Master (outer) case length | 181 mm 185 mm |
| USB version | 3 | 3.2 Gen 1 (3.1 Gen 1) | Master (outer) case width | 292 mm |
| Headphone connectivity | L | JSB Type-C | Master (outer) case height Pallet net height | 125.4 cm |
| | | | Pallet net length | 125.4 Cm |
| | | | Pallet net length Pallet net width | 80 cm |
| | | | | |
| | | Products per master (outer) case | 516 kg | |
| | | | Products per master (outer) case | 20 pc(s) |
| | | Other features Touchscreen | 1 | |
| | | | | • |
| | | | Technical details | |
| | | | Repairability index | 8.2 |

Technical details

Commodity Classification Automated Tracking System (CCATS)

8517120000





8806092987197

8806092987203

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.