

## Vorago LASP-300 apuntador inalámbrico RF Negro

**Marca :** Vorago

**Código del producto:** LASP-300

**Nombre del producto :** LASP-300

- Listo para usar
- Nano Receptor
- Radiofrecuencia
- Alcance 30 m

Presentador inalámbrico con apuntador láser LASP-300

**Vorago LASP-300 apuntador inalámbrico RF Negro:**

El presentador inalámbrico LASP-300 de Vorago es una herramienta esencial que te hará lucir como todo un profesional. Toma el control de tus presentaciones y navega entre diapositivas, todo con el indispensable apuntador láser integrado.

Está fabricado con plástico ABS que lo hace sumamente resistente a caídas y golpes.

Con su recubrimiento de caucho no vas a querer soltarlo durante tus presentaciones en la escuela o la oficina.

Para interactuar más y mejor con tu audiencia sus 30 metros de alcance te ofrecen libertad de movimiento.

Cuenta con un Nano receptor con ajuste magnético para un control total y seguridad en tus exposiciones.

No requiere de controladores ni softwares adicionales.

<b>Desempeño</b>		<b>Control de energía</b>	
Interfaz de receptor inalámbrico *	USB	Numero de baterías soportadas	2
Tipo de receptor	Receptor estándar	Tipo de batería	AAA
Tecnología inalámbrica *	RF	<b>Requisitos del sistema</b>	
Frecuencia de banda	2.4 GHz	Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	
Alcance inalámbrico	15 m		
<b>Características</b>		Sistemas operativos Windows soportados	
Color del producto *	Negro	USB	✓
Funciones de presentador *	Puntero láser, Media player control, Mouse	<b>Peso y dimensiones</b>	
Conectar y usar (Plug and Play)	✓	Ancho	36 mm
Interruptor de encendido/apagado integrado	✓	Profundidad	130 mm
		Altura	27 mm
		Peso	85 g
		<b>Empaquetado de datos</b>	
		Cantidad por paquete	1 pieza(s)



### Contenido del empaque

Receptor incluido	✓
Manual de usuario	✓



7502266672555

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-AUG-2024. Prints or copies of Information are only valid on the printed Publication date