

StarTech.com Concentrador Hub USB 3.0 (5Gbps) de 3 Puertos con USB-C y Ethernet Gigabit - Con Adaptador de Alimentación

Marca : StarTech.com

Código del producto: HB30C3A1GE

Nombre del producto : Concentrador Hub USB 3.0 (5Gbps) de 3 Puertos con USB-C y Ethernet Gigabit - Con Adaptador de Alimentación

- Amplíe la conectividad de su laptop a través de USB-C agregando tres puertos USB-A (5Gbps) y un puerto GbE RJ45

StarTech.com Hub Concentrador USB 3.0 (5Gbps) de 3 Puertos con USB-C y Ethernet Gigabit - con Adaptador de Alimentación (HB30C3A1GE)

StarTech.com Concentrador Hub USB 3.0 (5Gbps) de 3 Puertos con USB-C y Ethernet Gigabit - Con Adaptador de Alimentación. Tecnología de conectividad: Alámbrico, Interfaz de host: USB, Interfaz: Ethernet. Rango máximo de transferencia de datos: 1000 Mbit/s. Color del producto: Negro



Puertos e Interfaces		Requisitos del sistema	
Tecnología de conectividad *	Alámbrico	Otros sistemas operativos soportados	ChromeOS
Interfaz de host *	USB	Sistemas operativos de servidor soportados	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Interfaz *	Ethernet		
Puertos Ethernet LAN (RJ-45)	1		
Cantidad de puertos centrales USB 3.2 Gen 1 (3.1 Gen 1) Tipo-A	3		
Versión USB	3.2 Gen 1 (3.1 Gen 1)		
Red		Condiciones ambientales	
Rango máximo de transferencia de datos *	1000 Mbit/s	Intervalo de temperatura operativa (T-T)	0 - 50 °C
Estándares de red *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Intervalo de temperatura de almacenaje	-10 - 70 °C
Conexión lista LAN	✓	Intervalo de humedad relativa para funcionamiento	0 - 85%
IEEE Auto MDIX	✓		
Bidireccional completo (Full duplex)	✓	Peso y dimensiones	
Soporte Jumbo Frames	✓	Ancho	45 mm
Auto-negociación	✓	Profundidad	87 mm
Marcos jumbo	4000	Altura	14 mm
Etiquetado VLAN	✓	Peso	50 g
Diseño		Empaquetado de datos	
Color del producto	Negro	Adaptador AC incluido	✓
Interno *	✗	Tipos de enchufe de alimentación incluido	AU, EU, NA, UK
Circuito integrado	Genesys Logic - GL3522, ASIX - AX88179	Ancho del paquete	152 mm
Hot-swap	✓	Largo del paquete	220 mm
Conectar y usar (Plug and Play)	✓	Alto del paquete	53 mm
Indicadores LED	Actividad, Enlace	Peso del paquete	340 g
Certificación	CE, FCC, TAA	Detalles técnicos	
		Certificados de cumplimiento	RoHS

Control de energía		Datos de logística	
Corriente de entrada	0.5 A	Código de Sistema de Armonización (SA)	85176990
Voltaje de salida	5 V	Largo de la caja principal	330 mm
Corriente de salida	2 A	Longitud de la caja principal	455 mm
Consumo energético	10 W	Alto de la caja principal	305 mm
Requisitos del sistema		Cantidad por caja principal	20 pieza(s)
		Otras características	
	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64	Material de la cubierta	Plástico
Sistemas operativos Windows soportados		Voltaje de entrada AC	100-240 V
		Soporte de control de flujo	✓
		Longitud de cable	0.3 m
Sistemas operativos Mac soportados	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 13.0 Ventura	Tipo de enchufe	Tipo H



0065030864206



065030864206

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.