

## StarTech.com Adaptador de Red Ethernet USB-C con Puerto USB A - Adaptador de Red NIC Ethernet RJ45 USB Tipo C USB 3.0/USB 3.1 Blanco - Adaptador LAN Compatible con TB3 - Win/Mac/Chrome

Marca : StarTech.com

Código del producto:  
US1GC301AUW



**Nombre del producto :** Adaptador de Red Ethernet USB-C con Puerto USB A - Adaptador de Red NIC Ethernet RJ45 USB Tipo C USB 3.0/USB 3.1 Blanco - Adaptador LAN Compatible con TB3 - Win/Mac/Chrome

StarTech.com Adaptador de Red Ethernet USB-C con Puerto USB A - Adaptador de Red NIC Ethernet RJ45 USB Tipo C USB 3.0/USB 3.1 Blanco - Adaptador LAN Compatible con TB3 - Win/Mac/Chrome (US1GC301AUW)

StarTech.com Adaptador de Red Ethernet USB-C con Puerto USB A - Adaptador de Red NIC Ethernet RJ45 USB Tipo C USB 3.0/USB 3.1 Blanco - Adaptador LAN Compatible con TB3 - Win/Mac/Chrome. Tecnología de conectividad: Alámbrico, Interfaz de host: USB Tipo C, Interfaz: Ethernet. Rango máximo de transferencia de datos: 5000 Mbit/s. Color del producto: Blanco



Puertos e Interfaces		Requisitos del sistema	
Tecnología de conectividad *	Alámbrico	Sistemas operativos de servidor soportados	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012
Interfaz de host *	USB Tipo C		
Interfaz *	Ethernet		
Puertos Ethernet LAN (RJ-45)	1		
Cantidad de puertos USB	1		
Versión USB	3.2 Gen 1 (3.1 Gen 1)		
Red		Condiciones ambientales	
Rango máximo de transferencia de datos *	5000 Mbit/s	Intervalo de temperatura operativa (T-T)	0 - 50 °C
Estándares de red *	IEEE 802.1Q, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u	Intervalo de temperatura de almacenaje	-10 - 60 °C
Ethernet	✓	Intervalo de humedad relativa para funcionamiento	5 - 80%
Tipo de interfaz ethernet	Ethernet rápido, Gigabit Ethernet		
Ethernet LAN, velocidad de transferencia de datos	10,100,1000 Mbit/s		
Tecnología de cableado	10/100/1000BaseT(X)		
Conexión lista LAN	✓		
IEEE Auto MDIX	✓		
Bidireccional completo (Full duplex)	✓		
Soporte Jumbo Frames	✓		
Marcos jumbo	9000		
Etiquetado VLAN	✓		
Diseño		Sustentabilidad	
Componente para *	PC/computadora portátil	Cumplimiento de la sostenibilidad	✓
Color del producto	Blanco		
Interno *	✗		
Circuito integrado	Realtek RTL8153, VLI VL817		
Indicadores LED	✓		
		Peso y dimensiones	
		Ancho	35 mm
		Profundidad	275 mm
		Altura	17 mm
		Peso	38 g
		Empaquetado de datos	
		Ancho del paquete	143 mm
		Largo del paquete	170 mm
		Alto del paquete	30 mm
		Peso del paquete	100 g
		Detalles técnicos	
		Certificados de cumplimiento	CE, RoHS
		Datos de logística	
		Código de Sistema de Armonización (SA)	85176990
		Largo de la caja principal	322 mm
		Longitud de la caja principal	586 mm
		Alto de la caja principal	365 mm
		Cantidad por caja principal	80 pieza(s)

Requisitos del sistema		Otras características	
Sistemas operativos Windows soportados	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	Material de la cubierta Longitud de cable	Plástico 0.203 m
Sistemas operativos Mac soportados	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura		
Sistemas operativos Linux soportados	✓		



0065030882941



065030882941

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.