



## Fujitsu ScanSnap SV600 Escáner de aéreo 285 x 218 DPI A3 Negro, Gris



Marca : Fujitsu

Código del producto: CG01000-294101

Nombre del producto : ScanSnap SV600



- Tecnología de captura aérea y sin contacto, con solo un botón
  - Escanea material encuadernado y documentos planos
  - Escanea un área de tamaño A3 en menos de 3 segundos
  - Óptica CCD con iluminación LED rápida
  - Tecnología que elimina la curvatura de los documentos encuadernados
  - Función de borrado de marcas de los dedos que sujetan las hojas, de la imagen
  - Funciones de recorte, corrección de la alineación y rotación automáticas
  - Sensor de detección de paso de página automático
  - Modo de escaneado por intervalos temporales
  - Conectividad USB 2.0
  - Creación de PDF con capacidad de búsqueda, PDF imagen y JPEG
  - Función de recorte de varios documentos en un solo escaneo
- CCD, 2x White LED, USB 2.0, 20W, 3kg

Fujitsu ScanSnap SV600 Escáner de aéreo 285 x 218 DPI A3 Negro, Gris:

El escáner híbrido ScanSnap SV600 ofrece una nueva perspectiva en la captura de documentos. Escanee de manera sencilla y directa periódicos, revistas, documentos o libros, sin cortarlos o dañarlos.

Exploración		Puertos e Interfaces	
Tamaño máximo de escaneado *	432 x 300 mm	Versión USB	2.0
Resolución óptica de escáner *	285 x 218 DPI	Interfaces estándar	USB 1.1, USB 2.0
Escáner a color	✓	<b>Control de energía</b>	
Escaneado dúplex *	✓	Tipo de fuente de alimentación *	Corriente alterna
Modos de color de escaneado Negro / blanco	Escala de grises, Monocromo	Consumo energético	20 W
<b>Diseño</b>		Frecuencia de entrada AC	50 - 60 Hz
Tipo de escaneado *	Escáner de aéreo	Voltaje de entrada	100 - 240 V
Color del producto *	Negro, Gris	<b>Desempeño</b>	
<b>Desempeño</b>		Tipo de sensor *	CCD
Tipo de sensor *	CCD	Fuentes de luz	LED blanco (x2)
Fuentes de luz	LED blanco (x2)	<b>Dirección de papel</b>	
<b>Dirección de papel</b>		Tipos de media soportados de escaneo	Tarjeta de presentación, Post Card(JPN)
Tipos de media soportados de escaneo	Tarjeta de presentación, Post Card(JPN)	Tamaño máximo de papel ISO A-series *	A3
Tamaño máximo de papel ISO A-series *	A3	Tamaño de ISO serie A (A0...A9)	A4, A5, A6
Tamaño de ISO serie A (A0...A9)	A4, A5, A6	Tamaño de ISO serie B (B0...B9)	B4, B5, B6
Tamaño de ISO serie B (B0...B9)	B4, B5, B6	Carta	✓
Carta	✓	Legal	✓
Legal	✓	<b>Puertos e Interfaces</b>	
<b>Puertos e Interfaces</b>		Puerto USB *	✓
Puerto USB *	✓		

### Requisitos del sistema

Sistemas operativos Windows soportados	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
--	--

### Condiciones ambientales

Intervalo de temperatura operativa (T-T)	5 - 35 °C
Intervalo de humedad relativa para funcionamiento	20 - 80%

### Peso y dimensiones

Ancho	210 mm
Profundidad	156 mm
Altura	383 mm
Peso	3 kg

### Detalles técnicos

Certificados de sustentabilidad	ENERGY STAR
Certificados de cumplimiento	RoHS

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-SEP-2024. Prints or copies of Information are only valid on the printed Publication date