



Fujitsu ESPRIMO Q558 Intel® Core™ i7 i7-9700T 16 GB DDR4-SDRAM 512 GB SSD Windows 10 Pro Mini PC 11.5" PC 11.5"



Brand : Fujitsu

Product family: ESPRIMO

Product code:
VFY:Q0558P472SNL

Product name : Q558

Fujitsu ESPRIMO Q558. 11.5" PC 11.5". 11.5" PC 11.5". 2 GHz, 11.5" PC 11.5": Intel® Core™ i7, 11.5" PC 11.5": i7-9700T. 11.5" PC 11.5": 16 GB, 11.5" PC 11.5": DDR4-SDRAM. 11.5" PC 11.5": 512 GB, 11.5" PC 11.5": SSD. 11.5" PC 11.5": Intel® UHD Graphics 630. 11.5" PC 11.5": Windows 10 Pro, 11.5" PC 11.5": 64-bit. 11.5" PC 11.5": 65 W. 11.5" PC 11.5": Mini PC. 11.5" PC 11.5": 1,6 kg. 11.5" PC 11.5": 11.5"

11.5" PC 11.5"		11.5" PC 11.5"	
11.5" PC 11.5" *	Intel	11.5" PC 11.5" LAN (RJ-45) 11.5" PC 11.5"	1
11.5" PC 11.5" *	Intel® Core™ i7	11.5" PC 11.5" 11.5" PC 11.5"	✓
11.5" PC 11.5"	9th gen Intel® Core™ i7	11.5" PC 11.5" 11.5" PC 11.5"	1
11.5" PC 11.5" *	i7-9700T		
11.5" PC 11.5"	8		
11.5" PC 11.5"	8	11.5" PC 11.5" *	Mini PC
11.5" PC 11.5" 11.5" PC 11.5"	4,3 GHz	11.5" PC 11.5" 11.5" PC 11.5"	11.5" PC 11.5" / 11.5" PC 11.5"
11.5" PC 11.5" 11.5" PC 11.5" *	2 GHz	VESA 11.5" PC 11.5"	✓
11.5" PC 11.5"	LGA 1151 (Socket H4)	11.5" PC 11.5" 11.5" PC 11.5"	✓
11.5" PC 11.5"	12 MB	11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	Kensington
11.5" PC 11.5" 11.5" PC 11.5"	Smart Cache	11.5" PC 11.5" 11.5" PC 11.5" *	11.5" PC 11.5"
11.5" PC 11.5" 11.5" PC 11.5"	8 GT/11.5" PC 11.5"		
11.5" PC 11.5" 11.5" PC 11.5"	14 nm	11.5" PC 11.5" 11.5" PC 11.5" *	11.5" PC 11.5"
11.5" PC 11.5" 11.5" PC 11.5"	64-bit		
11.5" PC 11.5" 11.5" PC 11.5"	Coffee Lake		
11.5" PC 11.5" 11.5" PC 11.5" (TDP)	35 W	11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5" *	Windows 10 Pro
11.5" PC 11.5"-11.5" PC 11.5" TDP-11.5" PC 11.5"	25 W	11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	64-bit
11.5" PC 11.5"-11.5" PC 11.5" TDP-11.5" PC 11.5"	1,5 GHz		
11.5" PC 11.5"	100 °C	11.5" PC 11.5" 64	✓
PCI 11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	3.0	11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	✓
PCI 11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	16	11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	✗
PCI 11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	1x16, 2x8, 1x8+2x4	11.5" PC 11.5"® 11.5" PC 11.5"™ 3 11.5" PC 11.5" 11.5" PC 11.5"	✓
11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	1	11.5" PC 11.5"® 11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	✓
11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	128 GB	11.5" PC 11.5"® 11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	✓
11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	DDR4-SDRAM	11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	✓
11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	2666 MHz	11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	✓
11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	41,6 GB/11.5" PC 11.5"	11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	✓
		11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	✓
11.5" PC 11.5"		11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	✓
11.5" PC 11.5" 11.5" PC 11.5" *	16 GB	11.5" PC 11.5"® 11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	✓
11.5" PC 11.5" 11.5" PC 11.5" *	32 GB	11.5" PC 11.5"® 11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	✓
11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	DDR4-SDRAM	11.5" PC 11.5"® 11.5" PC 11.5" 11.5" PC 11.5"	✓
11.5" PC 11.5" 11.5" PC 11.5"	2x DIMM	11.5" PC 11.5"® 11.5" PC 11.5" 11.5" PC 11.5"	✓
		11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	✓
11.5" PC 11.5" 11.5" PC 11.5" *	512 GB	11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	✓
11.5" PC 11.5" 11.5" PC 11.5" *	SSD	11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	✓
11.5" PC 11.5" 11.5" PC 11.5" *	✗	11.5" PC 11.5" 11.5" PC 11.5" 11.5" PC 11.5"	✓

CPU		CPU	
Processor	1	Processor	37.5 x 37.5 mm
SSD	512 GB	Processor	SSE4.1, SSE4.2, AVX 2.0
Processor	✗	Processor	1S
GPU		CPU	
Processor	✗	CPU	1
GPU	✓	Processor	PCG 2015A
Processor	✗	Processor	✓
GPU	Intel	Processor	✓
Processor	Intel® UHD Graphics 630	Processor	191048
Processor	350 MHz	Processor	2.0
Processor	1200 MHz	Processor	✗
Processor	64 GB	Processor	✓
Processor	3	Processor	✓
Processor	12.0	Processor	
Processor	4.5	Processor	65 W
Processor	0x3E98	Processor	100 - 240 V
Memory		Processor	50 - 60 Hz
Processor	✓	Processor	
Processor	10,100,1000 Mbit/second	Processor	10 - 35 °C
I/O		Processor	5 - 85%
USB 2.0	4	Processor	
USB 3.2 (3.1 1) A	4	Processor	185 mm
Processor	✓	Processor	190 mm
Processor	2	Processor	54 mm
Processor		Processor	1,6 kg
Power		Processor	
Processor	✗	Processor	✗



4063872090452

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-JUN-2025. Prints or copies of Information are only valid on the printed Publication date