ASUS P7P55D DELUXE Intel® P55 LGA 1156 (Socket H) ATX

Márka : ASUS Termék kód: P7P55DDELUXE

Termék neve : P7P55D DELUXE

ASUS P7P55D DELUXE. Processzor gyártója: Intel, Processzor-foglalat: LGA 1156 (Socket H), Kompatibilis processzor sorozata: Intel® Core™ i5, Intel® Core™ i7. Támogatott memóriatípusok: DDR3-SDRAM, Maximális belső memória: 16 GB, Memória bővítőhelyek típusa: DIMM. Támogatott tárolóeszközmeghajtó csatlakozási felületek: IDE, SATA II, RAID-szintek: 0, 1, 5, 10. Párhuzamos feldolgozási technológia támogatása: Quad-GPU CrossFireX, Quad-GPU SLI. Ethernet csatlakozó típusa: Gigabit Ethernet, Hálózat jellemzők: Dual Gigabit LAN





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket * Compatible processor series *	Intel LGA 1156 (Socket H) Intel® Core™ i5, Intel® Core™ i7	USB 2.0 ports quantity * Ethernet LAN (RJ-45) ports * PS/2 ports quantity	8 2 2
Memory		Firewire (IEEE 1394) ports	1
Supported memory types * Number of memory slots * Memory slots type	DDR3-SDRAM 4 DIMM	Headphone outputs Microphone in S/PDIF out port	1
Memory channels	Dual-channel	Network	
Supported memory clock speeds Maximum internal memory * Storage controllers	1333,1600,2200 MHz 16 GB	Ethernet LAN Ethernet interface type Networking features	✓ Gigabit Ethernet Dual Gigabit LAN
Supported storage drive interfaces *	IDE, SATA II	Features	Duan Olyanii Dun
RAID levels	0, 1, 5, 10	Motherboard chipset *	Intel® P55
Graphics		Audio chip	VIA VT2020
Parallel processing technology support *	Quad-GPU CrossFireX, Quad-GPU SLI	Audio output channels * Component for *	7.1+2 channels PC
Internal I/O		Motherboard form factor *	ATX
USB 2.0 connectors * Number of SATA II connectors	3 7	Motherboard chipset family * Power source type	Intel ATX
Number of SATA connectors	7	Expansion slots	
Number of Parallel ATA connectors S/PDIF out connector	1	PCI Express x1 (Gen 2.x) slots PCI Express x16 (Gen 2.x) slots	4 1
Front panel audio connector	✓	Expansion slots	2 x Drive Xpert SATA, 1 x TURBO_CON header
CD/AUX audio in	✓	PCI slots	2
ATX Power connector (24-pin)	1	BIOS	
Number of EATX power connectors Power fan connector	1	BIOS type *	AMI

Internal I/O		BIOS	
CPU fan connector Number of chassis fan connectors Chassis intrusion connector ✓ Number of IEEE1394 connectors 1	BIOS memory size ACPI version	16 Mbit 2.0a	
	1	Weight & dimensions	
		Width Depth	305 mm 244 mm
		Packaging content	
		Drivers included	✓
		Other features	
		Controller 2nd interface type Controller interface type	UltraDMA 133/100/66 SATA 3.0 Gb/s

