


GIGABYTE UD1300GM PG5 power supply unit 1300 W 20+4 pin ATX ATX Zwart

Merk : GIGABYTE

Artikelcode: GP-UD1300GM PG5

Productnaam : UD1300GM PG5

GIGABYTE UD1300GM PG5. Totaal vermogen: 1300 W, AC-ingangsspanning: 100 - 240 V, AC-ingangsfrequentie: 50 - 60 Hz. Motherboard power connector: 20+4 pin ATX, Lengte stroomkabel moederbord: 61 cm, Lengte SATA-stroomkabel: 150,600 mm. Bedoeld voor: PC, Vormfactor van de voeding (PSU): ATX, 80 PLUS certificatie: 80 PLUS Gold. Kleur van het product: Zwart, Type koeling: Actief, Ventilator diameter: 12 cm. Meegeleverde kabels: CPU, PATA, Peripheral (Molex), SATA



Energie		Poorten & interfaces	
Totaal vermogen *	1300 W	PCI Express-voedingsconnectoren (16-pins)	1
AC-ingangsspanning *	100 - 240 V	Lengte PCI Express-stroomkabel	70 cm
AC-ingangsfrequentie	50 - 60 Hz	CPU power connector (4+4 pin)	✓
Stroom	12 - 6 A	ATX power connector (20+4 pin)	✓
Maximale ingangsstroom (@110V)	6 A	PCI Express connector	✓
Maximale ingangsstroom (@220V)	12 A	Bekabelingstype	Volledig modulair
Power Factor Correctie (PFC) type	Actief	Prestatie	
Gecombineerd vermogen (+3.3V)	125 W	80 PLUS certificatie *	80 PLUS Gold
Gecombineerd vermogen (+12V)	1300 W	Bedoeld voor *	PC
Gecombineerd vermogen (+5V)	125 W	Vormfactor van de voeding (PSU) *	ATX
Gecombineerd vermogen (-12V)	3,6 W	Geluidsniveau	40 dB
Gecombineerd vermogen(+5Vsb)	17,5 W	Mean time between failures (MTBF)	100000 uur
Max huidige output (+3.3V)	25 A	Design	
Max huidige output(+12V)	108,3 A	Kleur van het product	Zwart
Max huidige output (+5V)	25 A	Type koeling	Actief
Max huidige output (-12V)	0,3 A	Ventilator diameter	12 cm
Max huidige output (+5Vsb)	3,5 A	Aantal ventilatoren	1 ventilator(en)
Houd-tijd	16 ms	Ventilator locatie	Boven
Efficiëntie	90 procent	Belichting	✗
Stroomspanning bescherming	Overstroom, Te hoog vermogen, Overspanning, Oververhitting, Kortsluiting, Onder spanning	Inhoud van de verpakking	
Poorten & interfaces		Meegeleverde kabels	CPU, PATA, Peripheral (Molex), SATA
Motherboard power connector *	20+4 pin ATX	Inclusief kabelbinder(s)	✓
Lengte stroomkabel moederbord	61 cm	Gewicht en omvang	
Aantal SATA power connectors	8	Breedte	150 mm
Aantal PATA power aansluiters	3	Diepte	160 mm
Lengte SATA-stroomkabel	150,600 mm	Hoogte	86 mm
Peripheral (Molex) power connectors (4-pin) *	2	Verpakking	
Lengte stroomkabel randapparaat (Molex)	200,600 mm	Type verpakking	Doos
PCI Express power connectors (6+2 pin)	4		

Technische details

Duurzaamheidscertificaten	CCC, CE, Federal Communications Commission (FCC), RoHS
Garantieperiode	5 jaar
Certificaten van naleving	CCC, CE, Federal Communications Commission (FCC), RoHS



4719331553388

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.