

ZYXEL

Zyxel GS-105B v3 Unmanaged L2+ Gigabit Ethernet (10/100/1000) Zilver

Merk : Zyxel

Artikelcode: GS-105BV3-EU0101F

Productnaam : GS-105B v3

- Gigabit Ethernet-connectiviteit
- Plug-and-play, geen configuratie vereist
- QoS-poorten voor optimale prestaties
- Groene energiebesparende technologie

5-Port Desktop Gigabit Ethernet Switch

Zyxel GS-105B v3. Switch type: Unmanaged, Switch-laag: L2+. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 5. Full duplex. MAC-adrestabel: 20000 entries, Switchingcapaciteit: 10 Gbit/s. Netwerkstandaard: IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x



| Beheerfuncties | | Prestatie | |
|---|--|--|-----------------|
| Switch type * | Unmanaged | Buffergrootte | 128 KB |
| Switch-laag | L2+ | Energie | |
| Quality of Service (QoS) | ✓ | AC-ingangsspanning | 100 - 240 V |
| Poorten & interfaces | | Spanning | 5 V |
| Aantal basis-switching RJ-45 Ethernet-poorten * | 5 | Output current | 1 A |
| Type basis-switching RJ-45 Ethernet-poorten * | Gigabit Ethernet (10/100/1000) | Stroomverbruik (typisch) | 2,5 W |
| Netwerk | | Eisen aan de omgeving | |
| Netwerkstandaard * | IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x | Bedrijfstemperatuur (T-T) | 0 - 50 °C |
| 10G support * | ✗ | Temperatuur bij opslag | -40 - 70 °C |
| Full duplex | ✓ | Relatieve vochtigheid in bedrijf (V-V) | 10 - 95 procent |
| Datastroombeheer | ✓ | Luchtvochtigheid bij opslag | 10 - 90 procent |
| Verbindingsaggregatie | ✓ | Gewicht en omvang | |
| Rate limiting | ✓ | Breedte | 121 mm |
| Auto MDI/MDI-X | ✓ | Diepte | 75 mm |
| Data-uitwisseling | | Hoogte | 26 mm |
| Switchingcapaciteit * | 10 Gbit/s | Gewicht | 229 g |
| MAC-adrestabel * | 20000 entries | Verpakking | |
| Store-and-forward | ✓ | Breedte verpakking | 127 mm |
| Jumbo Frames ondersteuning | ✓ | Diepte verpakking | 82 mm |
| Design | | Hoogte verpakking | 95 mm |
| Kleur van het product | Zilver | Gewicht verpakking | 381 g |
| LED-indicatoren | ✓ | Logistieke gegevens | |
| Certificering | CE, FCC Class B, BSMI | Code geharmoniseerd systeem (HS) | 85176990 |



4718937586295

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-AUG-2024. Prints or copies of Information are only valid on the printed Publication date