



LevelOne GEP-2861 netwerk-switch Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) 1U Zwart

Merk : LevelOne

Artikelcode: GEP-2861

Productnaam : GEP-2861



LevelOne GEP-2861. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 24, Console port: RJ-45. MAC-adrestabel: 16000 entries, Switchingcapaciteit: 56 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE.... Netstekker: AC-in-aansluiting. Power over Ethernet (PoE). Rack-montage, Vormfactor: 1U

Beheerfuncties		Design	
Switch type *	Managed	LED-indicatoren	Activiteit, Link, Power over Ethernet (PoE), Snelheid, Systeem
Switch-laag	L2	Land van herkomst	China
Quality of Service (QoS)	✓	Certificering	CE, RoHS
Poorten & interfaces		Prestatie	
Aantal basis-switching RJ-45 Ethernet-poorten *	24	Upgraden van firmware mogelijk	✓
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Fanloos	✗
Aantal Gigabit Ethernet (koper)-poorten	24	Energie	
Aantal moduleslots SPF	4	Stroombron *	AC
Console port	RJ-45	Vermogenstoevoer inclusief *	✓
Netstekker	AC-in-aansluiting	AC-ingangsspanning	100 - 240 V
Netwerk		AC-ingangsfrequentie	50 - 60 Hz
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Power over Ethernet (PoE)	
		Power over Ethernet (PoE) *	✓
10G support *	✗	Vermogen per poort Power over Ethernet (PoE)	30 W
Koperen ethernetbekabelingstechnologie	10BASE-T, 1000BASE-T, 100BASE-TX	Totaal Power over Ethernet (PoE)-budget	390 W
Port mirroring	✓	Eisen aan de omgeving	
Broadcast stormbeheer	✓	Bedrijfstemperatuur (T-T)	-10 - 50 °C
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s	Temperatuur bij opslag	-40 - 85 °C
VLAN=ondersteuning	✓	Relatieve vochtigheid in bedrijf (V-V)	0 - 95 procent
Data-uitwisseling		Luchtvochtigheid bij opslag	0 - 95 procent
Switchingcapaciteit *	56 Gbit/s	Gewicht en omvang	
MAC-adrestabel *	16000 entries	Breedte	442 mm
Jumbo Frames ondersteuning	✓	Diepte	285 mm
Jumbo frames	10000	Hoogte	44 mm
Packet buffergeheugen	4 MB	Gewicht	4 kg
		Verpakking	
		Meegeleverde kabels	AC

Beveiliging		Verpakking	
Access Control List (ACL)	✓	Snelstartgids	✓
BPDU filtering / bescherming	✓	Type verpakking	Doos
Wachtwoordbeveiliging	✓	Rekbevestigingspakket	✓
Multicast-functies		Breedte verpakking	395 mm
Multicast-ondersteuning	✓	Diepte verpakking	90 mm
Design		Hoogte verpakking	530 mm
Rack-montage *	✓	Gewicht verpakking	4,8 kg
Stapelbaar *	✗	Logistieke gegevens	
Vormfactor	1U	Code geharmoniseerd systeem (HS) 85176990	
Kleur van het product	Zwart		



4015867227848

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.