



HP w20 20.1" Wide Flat Panel Monitor [[[[[]]]] [[] []] 51 [[]] . (20.1 [[] []]) 1680 x 1050 [[[] []] [[]]

Brand: HP Product code: RG555AA

Product name: w20 20.1" Wide Flat Panel Monitor







0000000000		00000000000000000	
00000000000000000000	51 [[]. (20.1 [[]]])	00000000000000000000 (T-T)	5 - 40 °C
000000000000000000000000000	1680 x 1050 00000	00000000000000000 (T-T)	-20 - 60 °C
0000000000 *	×		20 - 85%
000000000000000000000000000000000000000	300 cd/m ²	00000 (H-H)	
00000000000000000	5 ms		5 - 95%
00000000000000000000000000000000000000	600:1	000000000000000	
000000 (Viewing Angle)	160°	00000000 (000000000) 000000 (0000000000)	486 □□. 250 □□.
0000000000000000000 (Viewing Angle)	140°		406
0000000 000000000000000000000000000	16.78 חחחחח	0000000 (0000000000)	5.9 □□.
	0.258	00000000 (0000000000)	486 □□.
	24 - 94 kHz	000000 (00000000000)	250 🔟.
0000000000000	48 - 75 Hz	000000 (00000000000)	406 □□.
	43.3 □□.	0000000 (00000000000)	5.9 □□.
0000000000000000	27.1 [].	000000000000000	
0000000000000000	51 □□.		9.4 □□.
000000000000000000000000000000000000000	48 to 75Hz vertical, 24 to 94KHz horizontal	0000000000000	
	4 W		Stereo
0000000000 RMS 00000000000000 00000000	4 W		
RMS 000000000000000000000000000000000000	4 W	00000000000000000000000000000000000000	Stereo 496 x 210 x 575 [].
RMS (1000000000000000000000000000000000000	000000	00000000000000000000000000000000000000	Stereo 496 x 210 x 575 □□.
RMS 000000000000000000000000000000000000	000000	00000000000000000000000000000000000000	Stereo 496 x 210 x 575 []. 146.2 MHz 100-240V, 50/60 Hz, Universal auto-
RMS 000000000000000000000000000000000000	000000 1 1	00000000000000000000000000000000000000	Stereo 496 x 210 x 575 []. 146.2 MHz 100-240V, 50/60 Hz, Universal autosensing, AC 100-240V, 50-60Hz 1680 x 1050 @ 60 Hz Two integrated stereo speakers (2w
RMS (1000000000000000000000000000000000000	1 1	00000000000000000000000000000000000000	Stereo 496 x 210 x 575 []. 146.2 MHz 100-240V, 50/60 Hz, Universal autosensing, AC 100-240V, 50-60Hz 1680 x 1050 @ 60 Hz Two integrated stereo speakers (2w per channel) with front volume
RMS 000000000000000000000000000000000000	000000 1 1	00000000000000000000000000000000000000	Stereo 496 x 210 x 575 []. 146.2 MHz 100-240V, 50/60 Hz, Universal autosensing, AC 100-240V, 50-60Hz 1680 x 1050 @ 60 Hz Two integrated stereo speakers (2w per channel) with front volume control
RMS (1000000000000000000000000000000000000	1 1	00000000000000000000000000000000000000	Stereo 496 x 210 x 575 []. 146.2 MHz 100-240V, 50/60 Hz, Universal autosensing, AC 100-240V, 50-60Hz 1680 x 1050 @ 60 Hz Two integrated stereo speakers (2w per channel) with front volume control 1680 x 1050 @ 60Hz (native recommended) plus all VESA modes
RMS 000000000000000000000000000000000000	1 1	00000000000000000000000000000000000000	Stereo 496 x 210 x 575 []. 146.2 MHz 100-240V, 50/60 Hz, Universal autosensing, AC 100-240V, 50-60Hz 1680 x 1050 @ 60 Hz Two integrated stereo speakers (2w per channel) with front volume control 1680 x 1050 @ 60Hz (native recommended) plus all VESA modes up to 1920x1200 @ 60Hz
RMS 000000000000000000000000000000000000	1 1 1 •	00000000000000000000000000000000000000	Stereo 496 x 210 x 575 []. 146.2 MHz 100-240V, 50/60 Hz, Universal autosensing, AC 100-240V, 50-60Hz 1680 x 1050 @ 60 Hz Two integrated stereo speakers (2w per channel) with front volume control 1680 x 1050 @ 60Hz (native recommended) plus all VESA modes
RMS (1000000000000000000000000000000000000	1 1 1 • • • •	00000000000000000000000000000000000000	Stereo 496 x 210 x 575 []. 146.2 MHz 100-240V, 50/60 Hz, Universal autosensing, AC 100-240V, 50-60Hz 1680 x 1050 @ 60 Hz Two integrated stereo speakers (2w per channel) with front volume control 1680 x 1050 @ 60Hz (native recommended) plus all VESA modes up to 1920x1200 @ 60Hz Digital (DVI-D) and Analog (15-pin
RMS 000000000000000000000000000000000000	1 1 1 1	00000000000000000000000000000000000000	Stereo 496 x 210 x 575 []. 146.2 MHz 100-240V, 50/60 Hz, Universal autosensing, AC 100-240V, 50-60Hz 1680 x 1050 @ 60 Hz Two integrated stereo speakers (2w per channel) with front volume control 1680 x 1050 @ 60Hz (native recommended) plus all VESA modes up to 1920x1200 @ 60Hz Digital (DVI-D) and Analog (15-pin

000000000000 Front controls: volume up/down; Power button with LED; OSD menu, _____ (Standby) * 2 W OSD plus and minus navigation buttons, Auto/OSD select OSD controls: Brightness, Contrast, Volume, Image control, Color, Languages (English, French, German, Spanish, Italian, Simplified ISO 13406-2 pixel defect guidelines, MPR-II, GS Mark (German ergonomic), European Union CE directives, FCC approval, TCO'03, Windows certified, UL listed ISO 13406-2, MPR-II, GS-mark, CE, FCC, TCO'03, FCC

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.